

**NAME**

apv1v — PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

**SYNOPSIS**

**apv1v** [options] [file]

**DESCRIPTION**

apv1v is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

**OPTIONS**

- c *file*  
Load configuration from *file* instead of the default `~/.apv1vrc`
- h  
Show help message and exit
- v  
Show version and exit

**COMMANDS**

The following command keys can be used inside apv1v. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab
- gT Show previous tab
- PageDown, C-f  
Go forward *count* pages
- PageUp, C-b  
Go backward *count* pages
- C-d Go forward *count* half pages
- C-u Go backward *count* half pages
- H Scroll to page head
- M Scroll to page middle
- L Scroll to page bottom
- s skip some pages *count*
- C-p, Up, k  
Scroll up *count* units
- C-n, Down, h  
Scroll down *count* units

Backspace, Left, h  
 Scroll left *count* units

Space, Right, l  
 Scroll right *count* units

*/ string*  
 Search forwards for *string*

*? string*  
 Search backwards for *string*

f Toggle between fullscreen and window mode

zi Zoom in

zo Zoom out

zw Zoom to fit window width

zh Zoom to fit window height

m *char* Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

” Return to the last position

q Close the current window

v Select a area

C-v Select a rectangle area

y copy the select area text to clipboard

c toggle content display

U underline selected text

A annotate selected text

C comment selected text

## SETTINGS

These can be set in `~/.apv(1)rc` with "set *setting* [= *value*]".

fullscreen = yes/no  
 Enable/Disable fullscreen

width = *int*  
 Default window width

height = *int*  
 Default window height

fix\_width = *int*  
 fixed width

fix\_height = *int*  
 fixed height

defaultdir = *path*  
 Default directory for the open dialogue

zoom = *mode*  
 Set default zoom level

normal    The application sets the default zoom value  
 fitwidth    Fit pages to window width  
 ftheight    Fit pages to window height  
*float*    1.0 for 100%, 2.0 for 200%, etc.

content = yes/no  
           Show content view first

content\_follow\_mode = *mode*  
           Set default content follow mode

none        Not follow any content, just by user press Enter.  
 page        Just follow page of book.  
 always     Always follow any resources.

continuous = yes/no  
           Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

continuouspad = *int*  
           Padding between pages for continuous = yes

autoscrollpage = yes/no  
           Enable/Disable scrolling the pages when hitting a page tail/head

noinfo = yes/no  
           Disable/Enable the usage of ~/.apv(1)info

pdfcache = *int*  
           Set pdf cache size

[no]cache = yes/no  
           Disable/Enable cache

scrollbar = yes/no  
           Set show scrollbar or not

visualmode = yes/no  
           Set use visual mode to select and copy text or not

wrapscan = yes/no  
           Set wrapscan to search text or not

doubleclick = *action*  
           Set default double click action

none        Selection nothing  
 word        Selection a word under the cursor to clipboard  
 line        Selection a line under the cursor to clipboard  
 page        Selection a page under the cursor to clipboard

guioptions = m/T/mT  
           Whether display menu, toolbar or mean and toolbar.

autoreload = *int*  
           If auto reload document after some seconds

inverted = yes/no  
           If use inverted mode for pdf page

background = *color*  
Set background color

**PROMPT**

Like the COMMANDS, but prefixed with a colon:

:h[elp] Display the help document  
:q[uit] Close the current window  
:o[pen] *file*  
Open *file*  
:doc *file*  
Load *file* into the current window  
:T[ext] [*file*]  
Translate *file* (or the current page) to a text file  
:pr[int] Print the current document  
:tabnew Create a new tab  
:sp Horizontally split the current window  
:vsp Vertically split the current window  
:fp, :forwardpage [*int*]  
Go forward *int* pages (1 by default)  
:bp, :prewardpage [*int*]  
Go backward *int* pages (1 by default)  
:g, :goto *int*  
Go to page *int*  
:z[oom] *mode*  
Set zoom to *mode* (see "set zoom" in SETTINGS)  
:*int* Go to page *int*  
:content toggle content display

**AUTHORS**

apv(1) was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xenon@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.home-linux.org>.